

Test Report

No.: NBHL260300564301CW

Date: MAR. 26, 2026

Page: 1 of 17

SHANGHAI COPAK INDUSTRY CO., LTD.
2/F BUILDING 11, NO. 988 ZHONGCHUN ROAD, SHANGHAI, 201100, CHINA.

The following sample(s) was/were submitted and identified by the client as:

Sample Description : PET/RPET CAN

Supplier : SHANGHAI COPAK INDUSTRY CO., LTD.
Manufacturer : SHANGHAI COPAK INDUSTRY CO., LTD.

Sample Receiving Date : MAR. 10, 2026
Testing Period : MAR. 10, 2026 TO MAR. 26, 2026



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS CSTC (Shanghai) Technical Services Co., Ltd.
Hardlines

Unit 8, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 1/F, & Unit 2, 4/F, Building 5 1/Unit 2, 1/F, & 2/F to 5/F, Building 4 1/Unit 2, 1/F, Building 5 1/4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com
中国·浙江·宁波市高新区梅墟街道凌云路1177号8幢1层, 008幢1层, 009幢1层, 009幢4层, 009幢4层-5层, 009幢5层, 009幢5层, 009幢5层, 009幢5层, 009幢5层, 5区 sgs.china@sgs.com

Test Requested	Result
1. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Overall Migration	Pass
2. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Specific migration of heavy metals	Pass
3. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Specific migration of ethylene glycol and diethylene glycol (expressed as ethylene glycol)	Pass
4. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Specific migration of terephthalic acid	Pass
5. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 - Sensorial examination odour and taste test	Pass
6. European Regulation POPs (EU) 2025/718 amending Regulation (EU) 2019/1021 Annex I - Perfluorooctane sulfonic acid (PFOS) and its salts, PFOS-related compounds	Pass
7. European Regulation POPs (EU) 2020/784 amending to Regulation (EU) 2019/1021 Annex I - Perfluorooctanoic acid (PFOA) and its salts, PFOA-related compounds	Pass
8. European Regulation POPs (EU) 2023/1608 amending Regulation (EU) 2019/1021 Annex I-PFHxS, its salts and PFHxS related compounds	Pass

Signed for and on behalf of
 SGS-CSTC Standards Technical Services (Ningbo) Co., Ltd.

Hattie Hu
 Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Deccheck@sgs.com

Unit 8, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 / 1/F, & Unit 2, 4/F, Building 5 / Unit 2, 1/F, & 2/F, 16/F, Building 4 / Unit 2, 1/F, Building 5 / 4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号8楼, 000楼3号1层, 000楼4号1层, 000楼4号2-5层, 000楼5号1层, 000楼5号2层, 000楼5号3层, 000楼5号4层, 5区 sgs.china@sgs.com

3. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Specific migration of ethylene glycol and diethylene glycol (expressed as ethylene glycol)

Test Method: With reference to EN 13130-1: 2004 and BS EN 13130-7:2004, analysis was performed by GC-FID.

Simulant	Test Condition
	A1
3% Acetic acid (W/V)	40 °C, 10 days

Test Item(s)	Limit	Unit(s)	RL	A1
3% Acetic acid (W/V)				
Migration times				First
Specific migration of ethylene glycol	-	mg/kg	3	ND
Specific migration of diethylene glycol	-	mg/kg	3	ND
Sum of ethylene glycol and diethylene glycol (expressed as ethylene glycol)	30	mg/kg	-	ND
Comment				Pass

Notes:

- (1) Test condition & simulant were specified by client.
- (2) For single use articles, the compliance is based on the first migration result with measurement uncertainty according to (EU) 2025/351. For substances which limit is "Not Detected", the non-compliance is based on the first migration result if it is detected without the inclusion of measurement uncertainty.

4. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2025/351 Regulation - Specific migration of terephthalic acid

Test Method: With reference to EN 13130-1:2004 and EN 13130-2:2004, analysis was performed by LC-DAD.

Simulant	Test Condition
	A1
3% Acetic acid (W/V)	40 °C, 10 days

Test Item(s)	Limit	Unit(s)	RL	A1
3% Acetic acid (W/V)				
Migration times				First
Specific migration of terephthalic acid	7.5	mg/kg	1.5	ND
Comment				Pass

Notes:

- (1) Test condition & simulant were specified by client.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 / 1/F, & Unit 2, 4/F, & 2/F, 16 5/F, Building 4 / Unit 2, 1/F, Building 5 / 14/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层06室, 006幢3号1层02室, 006幢4号1层02室, 006幢4号1层03室, 006幢4号1层04室, 006幢4号1层05室, 006幢4号1层06室, 006幢4号1层07室, 006幢4号1层08室, 006幢4号1层09室, 006幢4号1层10室, 006幢4号1层11室, 006幢4号1层12室, 006幢4号1层13室, 006幢4号1层14室, 006幢4号1层15室, 006幢4号1层16室, 006幢4号1层17室, 006幢4号1层18室, 006幢4号1层19室, 006幢4号1层20室, 006幢4号1层21室, 006幢4号1层22室, 006幢4号1层23室, 006幢4号1层24室, 006幢4号1层25室, 006幢4号1层26室, 006幢4号1层27室, 006幢4号1层28室, 006幢4号1层29室, 006幢4号1层30室, 006幢4号1层31室, 006幢4号1层32室, 006幢4号1层33室, 006幢4号1层34室, 006幢4号1层35室, 006幢4号1层36室, 006幢4号1层37室, 006幢4号1层38室, 006幢4号1层39室, 006幢4号1层40室, 006幢4号1层41室, 006幢4号1层42室, 006幢4号1层43室, 006幢4号1层44室, 006幢4号1层45室, 006幢4号1层46室, 006幢4号1层47室, 006幢4号1层48室, 006幢4号1层49室, 006幢4号1层50室, 006幢4号1层51室, 006幢4号1层52室, 006幢4号1层53室, 006幢4号1层54室, 006幢4号1层55室, 006幢4号1层56室, 006幢4号1层57室, 006幢4号1层58室, 006幢4号1层59室, 006幢4号1层60室, 006幢4号1层61室, 006幢4号1层62室, 006幢4号1层63室, 006幢4号1层64室, 006幢4号1层65室, 006幢4号1层66室, 006幢4号1层67室, 006幢4号1层68室, 006幢4号1层69室, 006幢4号1层70室, 006幢4号1层71室, 006幢4号1层72室, 006幢4号1层73室, 006幢4号1层74室, 006幢4号1层75室, 006幢4号1层76室, 006幢4号1层77室, 006幢4号1层78室, 006幢4号1层79室, 006幢4号1层80室, 006幢4号1层81室, 006幢4号1层82室, 006幢4号1层83室, 006幢4号1层84室, 006幢4号1层85室, 006幢4号1层86室, 006幢4号1层87室, 006幢4号1层88室, 006幢4号1层89室, 006幢4号1层90室, 006幢4号1层91室, 006幢4号1层92室, 006幢4号1层93室, 006幢4号1层94室, 006幢4号1层95室, 006幢4号1层96室, 006幢4号1层97室, 006幢4号1层98室, 006幢4号1层99室, 006幢4号1层100室, 006幢4号1层101室, 006幢4号1层102室, 006幢4号1层103室, 006幢4号1层104室, 006幢4号1层105室, 006幢4号1层106室, 006幢4号1层107室, 006幢4号1层108室, 006幢4号1层109室, 006幢4号1层110室, 006幢4号1层111室, 006幢4号1层112室, 006幢4号1层113室, 006幢4号1层114室, 006幢4号1层115室, 006幢4号1层116室, 006幢4号1层117室, 006幢4号1层118室, 006幢4号1层119室, 006幢4号1层120室, 006幢4号1层121室, 006幢4号1层122室, 006幢4号1层123室, 006幢4号1层124室, 006幢4号1层125室, 006幢4号1层126室, 006幢4号1层127室, 006幢4号1层128室, 006幢4号1层129室, 006幢4号1层130室, 006幢4号1层131室, 006幢4号1层132室, 006幢4号1层133室, 006幢4号1层134室, 006幢4号1层135室, 006幢4号1层136室, 006幢4号1层137室, 006幢4号1层138室, 006幢4号1层139室, 006幢4号1层140室, 006幢4号1层141室, 006幢4号1层142室, 006幢4号1层143室, 006幢4号1层144室, 006幢4号1层145室, 006幢4号1层146室, 006幢4号1层147室, 006幢4号1层148室, 006幢4号1层149室, 006幢4号1层150室, 006幢4号1层151室, 006幢4号1层152室, 006幢4号1层153室, 006幢4号1层154室, 006幢4号1层155室, 006幢4号1层156室, 006幢4号1层157室, 006幢4号1层158室, 006幢4号1层159室, 006幢4号1层160室, 006幢4号1层161室, 006幢4号1层162室, 006幢4号1层163室, 006幢4号1层164室, 006幢4号1层165室, 006幢4号1层166室, 006幢4号1层167室, 006幢4号1层168室, 006幢4号1层169室, 006幢4号1层170室, 006幢4号1层171室, 006幢4号1层172室, 006幢4号1层173室, 006幢4号1层174室, 006幢4号1层175室, 006幢4号1层176室, 006幢4号1层177室, 006幢4号1层178室, 006幢4号1层179室, 006幢4号1层180室, 006幢4号1层181室, 006幢4号1层182室, 006幢4号1层183室, 006幢4号1层184室, 006幢4号1层185室, 006幢4号1层186室, 006幢4号1层187室, 006幢4号1层188室, 006幢4号1层189室, 006幢4号1层190室, 006幢4号1层191室, 006幢4号1层192室, 006幢4号1层193室, 006幢4号1层194室, 006幢4号1层195室, 006幢4号1层196室, 006幢4号1层197室, 006幢4号1层198室, 006幢4号1层199室, 006幢4号1层200室, 006幢4号1层201室, 006幢4号1层202室, 006幢4号1层203室, 006幢4号1层204室, 006幢4号1层205室, 006幢4号1层206室, 006幢4号1层207室, 006幢4号1层208室, 006幢4号1层209室, 006幢4号1层210室, 006幢4号1层211室, 006幢4号1层212室, 006幢4号1层213室, 006幢4号1层214室, 006幢4号1层215室, 006幢4号1层216室, 006幢4号1层217室, 006幢4号1层218室, 006幢4号1层219室, 006幢4号1层220室, 006幢4号1层221室, 006幢4号1层222室, 006幢4号1层223室, 006幢4号1层224室, 006幢4号1层225室, 006幢4号1层226室, 006幢4号1层227室, 006幢4号1层228室, 006幢4号1层229室, 006幢4号1层230室, 006幢4号1层231室, 006幢4号1层232室, 006幢4号1层233室, 006幢4号1层234室, 006幢4号1层235室, 006幢4号1层236室, 006幢4号1层237室, 006幢4号1层238室, 006幢4号1层239室, 006幢4号1层240室, 006幢4号1层241室, 006幢4号1层242室, 006幢4号1层243室, 006幢4号1层244室, 006幢4号1层245室, 006幢4号1层246室, 006幢4号1层247室, 006幢4号1层248室, 006幢4号1层249室, 006幢4号1层250室, 006幢4号1层251室, 006幢4号1层252室, 006幢4号1层253室, 006幢4号1层254室, 006幢4号1层255室, 006幢4号1层256室, 006幢4号1层257室, 006幢4号1层258室, 006幢4号1层259室, 006幢4号1层260室, 006幢4号1层261室, 006幢4号1层262室, 006幢4号1层263室, 006幢4号1层264室, 006幢4号1层265室, 006幢4号1层266室, 006幢4号1层267室, 006幢4号1层268室, 006幢4号1层269室, 006幢4号1层270室, 006幢4号1层271室, 006幢4号1层272室, 006幢4号1层273室, 006幢4号1层274室, 006幢4号1层275室, 006幢4号1层276室, 006幢4号1层277室, 006幢4号1层278室, 006幢4号1层279室, 006幢4号1层280室, 006幢4号1层281室, 006幢4号1层282室, 006幢4号1层283室, 006幢4号1层284室, 006幢4号1层285室, 006幢4号1层286室, 006幢4号1层287室, 006幢4号1层288室, 006幢4号1层289室, 006幢4号1层290室, 006幢4号1层291室, 006幢4号1层292室, 006幢4号1层293室, 006幢4号1层294室, 006幢4号1层295室, 006幢4号1层296室, 006幢4号1层297室, 006幢4号1层298室, 006幢4号1层299室, 006幢4号1层300室, 006幢4号1层301室, 006幢4号1层302室, 006幢4号1层303室, 006幢4号1层304室, 006幢4号1层305室, 006幢4号1层306室, 006幢4号1层307室, 006幢4号1层308室, 006幢4号1层309室, 006幢4号1层310室, 006幢4号1层311室, 006幢4号1层312室, 006幢4号1层313室, 006幢4号1层314室, 006幢4号1层315室, 006幢4号1层316室, 006幢4号1层317室, 006幢4号1层318室, 006幢4号1层319室, 006幢4号1层320室, 006幢4号1层321室, 006幢4号1层322室, 006幢4号1层323室, 006幢4号1层324室, 006幢4号1层325室, 006幢4号1层326室, 006幢4号1层327室, 006幢4号1层328室, 006幢4号1层329室, 006幢4号1层330室, 006幢4号1层331室, 006幢4号1层332室, 006幢4号1层333室, 006幢4号1层334室, 006幢4号1层335室, 006幢4号1层336室, 006幢4号1层337室, 006幢4号1层338室, 006幢4号1层339室, 006幢4号1层340室, 006幢4号1层341室, 006幢4号1层342室, 006幢4号1层343室, 006幢4号1层344室, 006幢4号1层345室, 006幢4号1层346室, 006幢4号1层347室, 006幢4号1层348室, 006幢4号1层349室, 006幢4号1层350室, 006幢4号1层351室, 006幢4号1层352室, 006幢4号1层353室, 006幢4号1层354室, 006幢4号1层355室, 006幢4号1层356室, 006幢4号1层357室, 006幢4号1层358室, 006幢4号1层359室, 006幢4号1层360室, 006幢4号1层361室, 006幢4号1层362室, 006幢4号1层363室, 006幢4号1层364室, 006幢4号1层365室, 006幢4号1层366室, 006幢4号1层367室, 006幢4号1层368室, 006幢4号1层369室, 006幢4号1层370室, 006幢4号1层371室, 006幢4号1层372室, 006幢4号1层373室, 006幢4号1层374室, 006幢4号1层375室, 006幢4号1层376室, 006幢4号1层377室, 006幢4号1层378室, 006幢4号1层379室, 006幢4号1层380室, 006幢4号1层381室, 006幢4号1层382室, 006幢4号1层383室, 006幢4号1层384室, 006幢4号1层385室, 006幢4号1层386室, 006幢4号1层387室, 006幢4号1层388室, 006幢4号1层389室, 006幢4号1层390室, 006幢4号1层391室, 006幢4号1层392室, 006幢4号1层393室, 006幢4号1层394室, 006幢4号1层395室, 006幢4号1层396室, 006幢4号1层397室, 006幢4号1层398室, 006幢4号1层399室, 006幢4号1层400室, 006幢4号1层401室, 006幢4号1层402室, 006幢4号1层403室, 006幢4号1层404室, 006幢4号1层405室, 006幢4号1层406室, 006幢4号1层407室, 006幢4号1层408室, 006幢4号1层409室, 006幢4号1层410室, 006幢4号1层411室, 006幢4号1层412室, 006幢4号1层413室, 006幢4号1层414室, 006幢4号1层415室, 006幢4号1层416室, 006幢4号1层417室, 006幢4号1层418室, 006幢4号1层419室, 006幢4号1层420室, 006幢4号1层421室, 006幢4号1层422室, 006幢4号1层423室, 006幢4号1层424室, 006幢4号1层425室, 006幢4号1层426室, 006幢4号1层427室, 006幢4号1层428室, 006幢4号1层429室, 006幢4号1层430室, 006幢4号1层431室, 006幢4号1层432室, 006幢4号1层433室, 006幢4号1层434室, 006幢4号1层435室, 006幢4号1层436室, 006幢4号1层437室, 006幢4号1层438室, 006幢4号1层439室, 006幢4号1层440室, 006幢4号1层441室, 006幢4号1层442室, 006幢4号1层443室, 006幢4号1层444室, 006幢4号1层445室, 006幢4号1层446室, 006幢4号1层447室, 006幢4号1层448室, 006幢4号1层449室, 006幢4号1层450室, 006幢4号1层451室, 006幢4号1层452室, 006幢4号1层453室, 006幢4号1层454室, 006幢4号1层455室, 006幢4号1层456室, 006幢4号1层457室, 006幢4号1层458室, 006幢4号1层459室, 006幢4号1层460室, 006幢4号1层461室, 006幢4号1层462室, 006幢4号1层463室, 006幢4号1层464室, 006幢4号1层465室, 006幢4号1层466室, 006幢4号1层467室, 006幢4号1层468室, 006幢4号1层469室, 006幢4号1层470室, 006幢4号1层471室, 006幢4号1层472室, 006幢4号1层473室, 006幢4号1层474室, 006幢4号1层475室, 006幢4号1层476室, 006幢4号1层477室, 006幢4号1层478室, 006幢4号1层479室, 006幢4号1层480室, 006幢4号1层481室, 006幢4号1层482室, 006幢4号1层483室, 006幢4号1层484室, 006幢4号1层485室, 006幢4号1层486室, 006幢4号1层487室, 006幢4号1层488室, 006幢4号1层489室, 006幢4号1层490室, 006幢4号1层491室, 006幢4号1层492室, 006幢4号1层493室, 006幢4号1层494室, 006幢4号1层495室, 006幢4号1层496室, 006幢4号1层497室, 006幢4号1层498室, 006幢4号1层499室, 006幢4号1层500室, 006幢4号1层501室, 006幢4号1层502室, 006幢4号1层503室, 006幢4号1层504室, 006幢4号1层505室, 006幢4号1层506室, 006幢4号1层507室, 006幢4号1层508室, 006幢4号1层509室, 006幢4号1层510室, 006幢4号1层511室, 006幢4号1层512室, 006幢4号1层513室, 006幢4号1层514室, 006幢4号1层515室, 006幢4号1层516室, 006幢4号1层517室, 006幢4号1层518室, 006幢4号1层519室, 006幢4号1层520室, 006幢4号1层521室, 006幢4号1层522室, 006幢4号1层523室, 006幢4号1层524室, 006幢4号1层525室, 006幢4号1层526室, 006幢4号1层527室, 006幢4号1层528室, 006幢4号1层529室, 006幢4号1层530室, 006幢4号1层531室, 006幢4号1层532室, 006幢4号1层533室, 006幢4号1层534室, 006幢4号1层535室, 006幢4号1层536室, 006幢4号1层537室, 006幢4号1层538室, 006幢4号1层539室, 006幢4号1层540室, 006幢4号1层541室, 006幢4号1层542室, 006幢4号1层543室, 006幢4号1层544室, 006幢4号1层545室, 006幢4号1层546室, 006幢4号1层547室, 006幢4号1层548室, 006幢4号1层549室, 006幢4号1层550室, 006幢4号1层551室, 006幢4号1层552室, 006幢4号1层553室, 006幢4号1层554室, 006幢4号1层555室, 006幢4号1层556室, 006幢4号1层557室, 006幢4号1层558室, 006幢4号1层559室, 006幢4号1层560室, 006幢4号1层561室, 006幢4号1层562室, 006幢4号1层563室, 006幢4号1层564室, 006幢4号1层565室, 006幢4号1层566室, 006幢4号1层567室, 006幢4号1层568室, 006幢4号1层569室, 006幢4号1层570室, 006幢4号1层571室, 006幢4号1层572室, 006幢4号1层573室, 006幢4号1层574室, 006幢4号1层575室, 006幢4号1层576室, 006幢4号1层577室, 006幢4号1层578室, 006幢4号1层579室, 006幢4号1层580室, 006幢4号1层581室, 006幢4号1层582室, 006幢4号1层583室, 006幢4号1层584室, 006幢4号1层585室, 006幢4号1层586室, 006幢4号1层587室, 006幢4号1层588室, 006幢4号1层589室, 006幢4号1层590室, 006幢4号1层591室, 006幢4号1层592室, 006幢4号1层593室, 006幢4号1层594室, 006幢4号1层595室, 006幢4号1层596室, 006幢4号1层597室, 006幢4号1层598室, 006幢4号1层599室, 006幢4号1层600室, 006幢4号1层601室, 006幢4号1层602室, 006幢4号1层603室, 006幢4号1层604室, 006幢4号1层605室, 006幢4号1层606室, 006幢4号1层607室, 006幢4号1层608室, 006幢4号1层609室, 006幢4号1层610室, 006幢4号1层611室, 006幢4号1层612室, 006幢4号1层613室, 006幢4号1层614室, 006幢4号1层615室, 006幢4号1层616室, 006幢4号1层617室, 006幢4号1层618室, 006幢4号1层619室, 006幢4号1层620室, 006幢4号1层621室, 006幢4号1层622室, 006幢4号1层623室, 006幢4号1层624室, 006幢4号1层625室, 006幢4号1层626室, 006幢4号1层627室, 006幢4号1层628室, 006幢4号1层629室, 006幢4号1层630室, 006幢4号1层631室, 006幢4号1层632室, 006幢4号1层633室, 006幢4号1层634室, 006幢4号1层635室, 006幢4号1层636室, 006幢4号1层637室, 006幢4号1层638室, 006幢4号1层639室, 006幢4号1层640室, 006幢4号1层641室, 006幢4号1层642室, 006幢4号1层643室, 006幢4号1层644室, 006幢4号1层645室, 006幢4号1层646室, 006幢4号1层647室, 006幢4号1层648室, 006幢4号1层649室, 006幢4号1层650室, 006幢4号1层651室, 006幢4号1层652室, 006幢4号1层653室, 006幢4号1层654室, 006幢4号1层655室, 006幢4号1层656室, 006幢4号1层657室, 006幢4号1层658室, 006幢4号1层659室, 006幢4号1层660室, 006幢4号1层661室, 006幢4号1层662室, 006幢4号1层663室, 006幢4号1层664室, 006幢4号1层665室, 006幢4号1层666室, 006幢4号1层667室, 006幢4号1层668室, 006幢4号1层669室, 006幢4号1层670室, 006幢4号1层671室, 006幢4号1层672室, 006幢4号1层673室, 006幢4号1层674室, 006幢4号1层675室, 006幢4号1层676室, 006幢4号1层677室, 006幢4号1层678室, 006幢4号1层679室, 006幢4号1层680室, 006幢4号1层681室, 006幢4号1层682室, 006幢4号1层683室, 006幢4号1层684室, 006幢4号1层685室, 006幢4号1层686室, 006幢4号1层687室, 006幢4号1层688室, 006幢4号1层689室, 006幢4号1层690室, 006幢4号1层691室, 006幢4号1层692室, 006幢4号1层693室, 006幢4号1层694室, 006幢4号1层695室, 006幢4号1层696室, 006幢4号1层697室, 006幢4号1层698室, 006幢4号1层699室, 006幢4号1层700室, 006幢4号1层701室, 006幢4号1层702室, 006幢4号1层703室, 006幢4号1层704室, 006幢4号1层705室, 006幢4号1层706室, 006幢4号1层707室, 006幢4号1层708室, 006幢4号1层709室, 006幢4号1层710室, 006幢4号1层711室, 006幢4号1层712室, 006幢4号1层713室, 006幢4号1层714室, 006幢4号1层715室, 006幢4号1层716室, 006幢4号1层717室, 006幢4号1层718室, 006幢4号1层719室, 006幢4号1层720室, 006幢4号1层721室, 006幢4号1层722室, 006

(2) For single use articles, the compliance is based on the first migration result with measurement uncertainty according to (EU) 2025/351. For substances which limit is "Not Detected", the non-compliance is based on the first migration result if it is detected without the inclusion of measurement uncertainty.

5. Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 - Sensorial examination odour and taste test

Test Method: With reference to DIN 10955: 2024.
No. of panelist: 6

Test Media	Test Condition
Distilled water	A1 40 °C, 10 days

Test Item(s)	Limit	Unit(s)	A1
Area/Volume	-	dm ² /kg	7.2
Sensorial examination odour	2.5	-	0.0
Sensorial examination taste	2.5	-	0.0
Comment			Pass

Notes:

Intensity scale (rounded at 0.5):
 0 – no perceptible difference
 1 – just perceptible difference
 2 – slight difference
 3 – marked difference
 4 – strong difference

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	NGB26-0016400-0001.C001	Transparent plastic can

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

6. European Regulation POPs (EU) 2025/718 amending Regulation (EU) 2019/1021 Annex I - Perfluorooctane sulfonic acid (PFOS) and its salts, PFOS-related compounds

Test Method: Modified EN 17681-1:2025, analysis was performed by LC-MS or LC-MS/MS and GC-MS or GC-MS/MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1
--------------	---------	-------	---------	-----	----



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services (Zhejiang) Co., Ltd. | Unit 6, 1/F, & Unit 2 & Unit 3, 2/F, Building 7 | Unit 1, 1/F, & Unit 2, 4/F, Building 5 | Unit 2, 1/F, & 2/F, 16 5/F, Building 4 | Unit 2, 1/F, Building 3 | 4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号017幢1层01室, 010幢01层01室, 010幢01层02室, 010幢01层03室, 010幢01层04室, 010幢01层05室, 010幢01层06室, 010幢01层07室, 010幢01层08室, 010幢01层09室, 010幢01层10室, 010幢01层11室, 010幢01层12室, 010幢01层13室, 010幢01层14室, 010幢01层15室, 010幢01层16室, 010幢01层17室, 010幢01层18室, 010幢01层19室, 010幢01层20室, 010幢01层21室, 010幢01层22室, 010幢01层23室, 010幢01层24室, 010幢01层25室, 010幢01层26室, 010幢01层27室, 010幢01层28室, 010幢01层29室, 010幢01层30室, 010幢01层31室, 010幢01层32室, 010幢01层33室, 010幢01层34室, 010幢01层35室, 010幢01层36室, 010幢01层37室, 010幢01层38室, 010幢01层39室, 010幢01层40室, 010幢01层41室, 010幢01层42室, 010幢01层43室, 010幢01层44室, 010幢01层45室, 010幢01层46室, 010幢01层47室, 010幢01层48室, 010幢01层49室, 010幢01层50室, 010幢01层51室, 010幢01层52室, 010幢01层53室, 010幢01层54室, 010幢01层55室, 010幢01层56室, 010幢01层57室, 010幢01层58室, 010幢01层59室, 010幢01层60室, 010幢01层61室, 010幢01层62室, 010幢01层63室, 010幢01层64室, 010幢01层65室, 010幢01层66室, 010幢01层67室, 010幢01层68室, 010幢01层69室, 010幢01层70室, 010幢01层71室, 010幢01层72室, 010幢01层73室, 010幢01层74室, 010幢01层75室, 010幢01层76室, 010幢01层77室, 010幢01层78室, 010幢01层79室, 010幢01层80室, 010幢01层81室, 010幢01层82室, 010幢01层83室, 010幢01层84室, 010幢01层85室, 010幢01层86室, 010幢01层87室, 010幢01层88室, 010幢01层89室, 010幢01层90室, 010幢01层91室, 010幢01层92室, 010幢01层93室, 010幢01层94室, 010幢01层95室, 010幢01层96室, 010幢01层97室, 010幢01层98室, 010幢01层99室, 010幢01层100室, 010幢01层101室, 010幢01层102室, 010幢01层103室, 010幢01层104室, 010幢01层105室, 010幢01层106室, 010幢01层107室, 010幢01层108室, 010幢01层109室, 010幢01层110室, 010幢01层111室, 010幢01层112室, 010幢01层113室, 010幢01层114室, 010幢01层115室, 010幢01层116室, 010幢01层117室, 010幢01层118室, 010幢01层119室, 010幢01层120室, 010幢01层121室, 010幢01层122室, 010幢01层123室, 010幢01层124室, 010幢01层125室, 010幢01层126室, 010幢01层127室, 010幢01层128室, 010幢01层129室, 010幢01层130室, 010幢01层131室, 010幢01层132室, 010幢01层133室, 010幢01层134室, 010幢01层135室, 010幢01层136室, 010幢01层137室, 010幢01层138室, 010幢01层139室, 010幢01层140室, 010幢01层141室, 010幢01层142室, 010幢01层143室, 010幢01层144室, 010幢01层145室, 010幢01层146室, 010幢01层147室, 010幢01层148室, 010幢01层149室, 010幢01层150室, 010幢01层151室, 010幢01层152室, 010幢01层153室, 010幢01层154室, 010幢01层155室, 010幢01层156室, 010幢01层157室, 010幢01层158室, 010幢01层159室, 010幢01层160室, 010幢01层161室, 010幢01层162室, 010幢01层163室, 010幢01层164室, 010幢01层165室, 010幢01层166室, 010幢01层167室, 010幢01层168室, 010幢01层169室, 010幢01层170室, 010幢01层171室, 010幢01层172室, 010幢01层173室, 010幢01层174室, 010幢01层175室, 010幢01层176室, 010幢01层177室, 010幢01层178室, 010幢01层179室, 010幢01层180室, 010幢01层181室, 010幢01层182室, 010幢01层183室, 010幢01层184室, 010幢01层185室, 010幢01层186室, 010幢01层187室, 010幢01层188室, 010幢01层189室, 010幢01层190室, 010幢01层191室, 010幢01层192室, 010幢01层193室, 010幢01层194室, 010幢01层195室, 010幢01层196室, 010幢01层197室, 010幢01层198室, 010幢01层199室, 010幢01层200室, 010幢01层201室, 010幢01层202室, 010幢01层203室, 010幢01层204室, 010幢01层205室, 010幢01层206室, 010幢01层207室, 010幢01层208室, 010幢01层209室, 010幢01层210室, 010幢01层211室, 010幢01层212室, 010幢01层213室, 010幢01层214室, 010幢01层215室, 010幢01层216室, 010幢01层217室, 010幢01层218室, 010幢01层219室, 010幢01层220室, 010幢01层221室, 010幢01层222室, 010幢01层223室, 010幢01层224室, 010幢01层225室, 010幢01层226室, 010幢01层227室, 010幢01层228室, 010幢01层229室, 010幢01层230室, 010幢01层231室, 010幢01层232室, 010幢01层233室, 010幢01层234室, 010幢01层235室, 010幢01层236室, 010幢01层237室, 010幢01层238室, 010幢01层239室, 010幢01层240室, 010幢01层241室, 010幢01层242室, 010幢01层243室, 010幢01层244室, 010幢01层245室, 010幢01层246室, 010幢01层247室, 010幢01层248室, 010幢01层249室, 010幢01层250室, 010幢01层251室, 010幢01层252室, 010幢01层253室, 010幢01层254室, 010幢01层255室, 010幢01层256室, 010幢01层257室, 010幢01层258室, 010幢01层259室, 010幢01层260室, 010幢01层261室, 010幢01层262室, 010幢01层263室, 010幢01层264室, 010幢01层265室, 010幢01层266室, 010幢01层267室, 010幢01层268室, 010幢01层269室, 010幢01层270室, 010幢01层271室, 010幢01层272室, 010幢01层273室, 010幢01层274室, 010幢01层275室, 010幢01层276室, 010幢01层277室, 010幢01层278室, 010幢01层279室, 010幢01层280室, 010幢01层281室, 010幢01层282室, 010幢01层283室, 010幢01层284室, 010幢01层285室, 010幢01层286室, 010幢01层287室, 010幢01层288室, 010幢01层289室, 010幢01层290室, 010幢01层291室, 010幢01层292室, 010幢01层293室, 010幢01层294室, 010幢01层295室, 010幢01层296室, 010幢01层297室, 010幢01层298室, 010幢01层299室, 010幢01层300室, 010幢01层301室, 010幢01层302室, 010幢01层303室, 010幢01层304室, 010幢01层305室, 010幢01层306室, 010幢01层307室, 010幢01层308室, 010幢01层309室, 010幢01层310室, 010幢01层311室, 010幢01层312室, 010幢01层313室, 010幢01层314室, 010幢01层315室, 010幢01层316室, 010幢01层317室, 010幢01层318室, 010幢01层319室, 010幢01层320室, 010幢01层321室, 010幢01层322室, 010幢01层323室, 010幢01层324室, 010幢01层325室, 010幢01层326室, 010幢01层327室, 010幢01层328室, 010幢01层329室, 010幢01层330室, 010幢01层331室, 010幢01层332室, 010幢01层333室, 010幢01层334室, 010幢01层335室, 010幢01层336室, 010幢01层337室, 010幢01层338室, 010幢01层339室, 010幢01层340室, 010幢01层341室, 010幢01层342室, 010幢01层343室, 010幢01层344室, 010幢01层345室, 010幢01层346室, 010幢01层347室, 010幢01层348室, 010幢01层349室, 010幢01层350室, 010幢01层351室, 010幢01层352室, 010幢01层353室, 010幢01层354室, 010幢01层355室, 010幢01层356室, 010幢01层357室, 010幢01层358室, 010幢01层359室, 010幢01层360室, 010幢01层361室, 010幢01层362室, 010幢01层363室, 010幢01层364室, 010幢01层365室, 010幢01层366室, 010幢01层367室, 010幢01层368室, 010幢01层369室, 010幢01层370室, 010幢01层371室, 010幢01层372室, 010幢01层373室, 010幢01层374室, 010幢01层375室, 010幢01层376室, 010幢01层377室, 010幢01层378室, 010幢01层379室, 010幢01层380室, 010幢01层381室, 010幢01层382室, 010幢01层383室, 010幢01层384室, 010幢01层385室, 010幢01层386室, 010幢01层387室, 010幢01层388室, 010幢01层389室, 010幢01层390室, 010幢01层391室, 010幢01层392室, 010幢01层393室, 010幢01层394室, 010幢01层395室, 010幢01层396室, 010幢01层397室, 010幢01层398室, 010幢01层399室, 010幢01层400室, 010幢01层401室, 010幢01层402室, 010幢01层403室, 010幢01层404室, 010幢01层405室, 010幢01层406室, 010幢01层407室, 010幢01层408室, 010幢01层409室, 010幢01层410室, 010幢01层411室, 010幢01层412室, 010幢01层413室, 010幢01层414室, 010幢01层415室, 010幢01层416室, 010幢01层417室, 010幢01层418室, 010幢01层419室, 010幢01层420室, 010幢01层421室, 010幢01层422室, 010幢01层423室, 010幢01层424室, 010幢01层425室, 010幢01层426室, 010幢01层427室, 010幢01层428室, 010幢01层429室, 010幢01层430室, 010幢01层431室, 010幢01层432室, 010幢01层433室, 010幢01层434室, 010幢01层435室, 010幢01层436室, 010幢01层437室, 010幢01层438室, 010幢01层439室, 010幢01层440室, 010幢01层441室, 010幢01层442室, 010幢01层443室, 010幢01层444室, 010幢01层445室, 010幢01层446室, 010幢01层447室, 010幢01层448室, 010幢01层449室, 010幢01层450室, 010幢01层451室, 010幢01层452室, 010幢01层453室, 010幢01层454室, 010幢01层455室, 010幢01层456室, 010幢01层457室, 010幢01层458室, 010幢01层459室, 010幢01层460室, 010幢01层461室, 010幢01层462室, 010幢01层463室, 010幢01层464室, 010幢01层465室, 010幢01层466室, 010幢01层467室, 010幢01层468室, 010幢01层469室, 010幢01层470室, 010幢01层471室, 010幢01层472室, 010幢01层473室, 010幢01层474室, 010幢01层475室, 010幢01层476室, 010幢01层477室, 010幢01层478室, 010幢01层479室, 010幢01层480室, 010幢01层481室, 010幢01层482室, 010幢01层483室, 010幢01层484室, 010幢01层485室, 010幢01层486室, 010幢01层487室, 010幢01层488室, 010幢01层489室, 010幢01层490室, 010幢01层491室, 010幢01层492室, 010幢01层493室, 010幢01层494室, 010幢01层495室, 010幢01层496室, 010幢01层497室, 010幢01层498室, 010幢01层499室, 010幢01层500室, 010幢01层501室, 010幢01层502室, 010幢01层503室, 010幢01层504室, 010幢01层505室, 010幢01层506室, 010幢01层507室, 010幢01层508室, 010幢01层509室, 010幢01层510室, 010幢01层511室, 010幢01层512室, 010幢01层513室, 010幢01层514室, 010幢01层515室, 010幢01层516室, 010幢01层517室, 010幢01层518室, 010幢01层519室, 010幢01层520室, 010幢01层521室, 010幢01层522室, 010幢01层523室, 010幢01层524室, 010幢01层525室, 010幢01层526室, 010幢01层527室, 010幢01层528室, 010幢01层529室, 010幢01层530室, 010幢01层531室, 010幢01层532室, 010幢01层533室, 010幢01层534室, 010幢01层535室, 010幢01层536室, 010幢01层537室, 010幢01层538室, 010幢01层539室, 010幢01层540室, 010幢01层541室, 010幢01层542室, 010幢01层543室, 010幢01层544室, 010幢01层545室, 010幢01层546室, 010幢01层547室, 010幢01层548室, 010幢01层549室, 010幢01层550室, 010幢01层551室, 010幢01层552室, 010幢01层553室, 010幢01层554室, 010幢01层555室, 010幢01层556室, 010幢01层557室, 010幢01层558室, 010幢01层559室, 010幢01层560室, 010幢01层561室, 010幢01层562室, 010幢01层563室, 010幢01层564室, 010幢01层565室, 010幢01层566室, 010幢01层567室, 010幢01层568室, 010幢01层569室, 010幢01层570室, 010幢01层571室, 010幢01层572室, 010幢01层573室, 010幢01层574室, 010幢01层575室, 010幢01层576室, 010幢01层577室, 010幢01层578室, 010幢01层579室, 010幢01层580室, 010幢01层581室, 010幢01层582室, 010幢01层583室, 010幢01层584室, 010幢01层585室, 010幢01层586室, 010幢01层587室, 010幢01层588室, 010幢01层589室, 010幢01层590室, 010幢01层591室, 010幢01层592室, 010幢01层593室, 010幢01层594室, 010幢01层595室, 010幢01层596室, 010幢01层597室, 010幢01层598室, 010幢01层599室, 010幢01层600室, 010幢01层601室, 010幢01层602室, 010幢01层603室, 010幢01层604室, 010幢01层605室, 010幢01层606室, 010幢01层607室, 010幢01层608室, 010幢01层609室, 010幢01层610室, 010幢01层611室, 010幢01层612室, 010幢01层613室, 010幢01层614室, 010幢01层615室, 010幢01层616室, 010幢01层617室, 010幢01层618室, 010幢01层619室, 010幢01层620室, 010幢01层621室, 010幢01层622室, 010幢01层623室, 010幢01层624室, 010幢01层625室, 010幢01层626室, 010幢01层627室, 010幢01层628室, 010幢01层629室, 010幢01层630室, 010幢01层631室, 010幢01层632室, 010幢01层633室, 010幢01层634室, 010幢01层635室, 010幢01层636室, 010幢01层637室, 010幢01层638室, 010幢01层639室, 010幢01层640室, 010幢01层641室, 010幢01层642室, 010幢01层643室, 010幢01层644室, 010幢01层645室, 010幢01层646室, 010幢01层647室, 010幢01层648室, 010幢01层649室, 010幢01层650室, 010幢01层651室, 010幢01层652室, 010幢01层653室, 010幢01层654室, 010幢01层655室, 010幢01层656室, 010幢01层657室, 010幢01层658室, 010幢01层659室, 010幢01层660室, 010幢01层661室, 010幢01层662室, 010幢01层663室, 010幢01层664室, 010幢01层665室, 010幢01层666室, 010幢01层667室, 010幢01层668室, 010幢01层669室, 010幢01层670室, 010幢01层671室, 010幢01层672室, 010幢01层673室, 010幢01层674室, 010幢01层675室, 010幢01层676室, 010幢01层677室, 010幢01层678室, 010幢01层679室, 010幢01层680室, 010幢01层681室, 010幢01层682室, 010幢01层683室, 010幢01层684室, 010幢01层685室, 010幢01层686室, 010幢01层687室, 010幢01层688室, 010幢01层689室, 010幢01层690室, 010幢01层691室, 010幢01层692室, 010幢01层693室, 010幢01层694室, 010幢01层695室, 010幢01层696室, 010幢01层697室, 010幢01层698室, 010幢01层699室, 010幢01层700室, 010幢01层701室, 010幢01层702室, 010幢01层703室, 010幢01层704室, 010幢01层705室, 010幢01层706室, 010幢01层707室, 010幢01层708室, 010幢01层709室, 010幢01层710室, 010幢01层711室, 010幢01层712室, 010幢01层713室, 010幢01层714室, 010幢01层715室, 010幢01层716室, 010幢01层717室, 010幢01层718室, 010幢01层719室, 010幢01层720室, 010幢01层721室, 010幢01层722室, 010幢01层723室, 010幢01层724室, 010幢01层725室, 010幢01层726室, 010幢01层727室, 010幢01层728室, 010幢01层729室, 010幢01层730室, 010幢01层731室, 010幢01层732室, 010幢01层733室, 010幢01层734室, 010幢01层735室, 010幢01层736室, 010幢01层737室, 010幢01层738室, 010幢01层739室, 010幢01层740室, 010幢01层741室, 010幢01层742室, 010幢01层743室, 010幢01层744室, 010幢01层745室, 010幢01层746室, 010幢01层747室, 010幢01层748室, 010幢01层749室, 010幢01层750室, 010幢01层751室, 010幢01层752室, 010幢01层753室, 010幢01层754室, 010幢01层755室, 010幢01层756室, 010幢01层757室, 010幢01层758室, 010幢01层759室, 010幢01层760室, 010幢01层761室, 010幢01层762室, 010幢01层763室, 010幢01层764室, 010幢01层765室, 010幢01层766室, 010幢01层767室, 010幢01层768室, 010幢01层769室, 010幢01层770室, 010幢01层771室, 010幢01层772室, 010幢01层773室, 010幢01层774室, 010幢01层775室, 010幢01层776室, 010幢01层777室, 010幢01层778室, 010幢01层779室, 010幢01层780室, 010幢01层781室, 010幢01层782室, 010幢01层783室, 010幢01层784室, 010幢01层785室, 010幢01层786室, 010幢01层787室, 010幢01层788室, 010幢01层789室, 010幢01层790室, 010幢01层

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1
PFOS, its salts					
Perfluorooctane sulfonic acid (PFOS), its salts [^]	1763-23-1	0.025	mg/kg	0.010	ND
PFOS-related compounds					
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSEA)	4151-50-2	-	mg/kg	0.010	ND
N-methylperfluoro-1-octanesulfonamide (N-MeFOSEA)	31506-32-8	-	mg/kg	0.010	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)	1691-99-2	-	mg/kg	0.010	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	24448-09-7	-	mg/kg	0.010	ND
Perfluorooctane Sulfonamide (PFOSA), its salts [^]	754-91-6	-	mg/kg	0.010	ND
Perfluorooctane sulfonamidoacetic Acid (FOSAA), its salts [^]	2806-24-8	-	mg/kg	0.010	ND
N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA), its salts [^]	2355-31-9	-	mg/kg	0.010	ND
N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA), its salts [^]	2991-50-6	-	mg/kg	0.010	ND
2-(N-ethylperfluorooctanesulfamido) ethyl acrylate (EtFOSAC)	423-82-5	-	mg/kg	0.200	ND
Sum of PFOS-related compounds	-	1	mg/kg	-	ND
Conclusion					Pass

Notes:

(1) According to Regulation (EU) 2025/718 amending Regulation (EU) 2019/1021 Annex I, the concentrations of PFOS or any of its salts equal to or below 0,025 mg/kg (0,000025 % by weight) and all PFOS-related compounds equal to or below 1 mg/kg (0,0001 % by weight) where they are present in substances, mixtures or in articles. Date of applicability: From 3 December 2025.

(2) [^]=Substances refer to its salts/derivative listed in below table.

Substance Name	CAS No.
PFOS, its salts & derivatives	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH ₄)	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-NH ₂ (C ₂ H ₄ OH) ₂)	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Unit 6, 1/F, & Unit 2 & Unit 3, 2/F, Building 7 1/F, & Unit 2, 4/F, Building 5 1/Unit 2, 1/F, & 2/F, 16 5/F, Building 4 1/Unit 2, 1/F, Building 3 1/4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层02室, 00幢0号1层02室, 00幢4号1层02室, 00幢4号1层2-5室, 00幢0号1层02室, 00幢0号1层02室, 00幢0号1层02室, 5区 sgs.china@sgs.com

Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
PFOA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH ₄)	76752-72-2
Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1) (PFOSA-C ₆ H ₁₅ N)	76752-82-4

(3) The conclusion is only applicable to the substance list in the report.

7. European Regulation POPs (EU) 2020/784 amending to Regulation (EU) 2019/1021 Annex I - Perfluorooctanoic acid (PFOA) and its salts, PFOA-related compounds

Test Method: Modified EN 17681-1:2025, analysis was performed by LC-MS or LC-MS/MS and GC-MS or GC-MS/MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1
PFOA, its salts					
Perfluorooctanoic acid (PFOA), its salts [^]	335-67-1	0.025	mg/kg	0.010	ND
PFOA-related compounds					
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS), its salts [^]	39108-34-4	1	mg/kg	0.010	ND
Methyl perfluorooctanoate (Me-PFOA)	376-27-2	1	mg/kg	0.200	ND
Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5	1	mg/kg	0.200	ND
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9	1	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9	1	mg/kg	0.100	ND
Perfluoro-1-iodooctane (PFOI)	507-63-1	1	mg/kg	0.200	ND
2H,2H-Perfluorodecane Acid (8:2 FTCA), its salts [^]	27854-31-5	1	mg/kg	0.010	ND
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)	678-39-7	1	mg/kg	0.100	ND
1-Iodo-1H,1H,2H,2H-perfluorodecane (8:2 FTI)	2043-53-0	1	mg/kg	0.100	ND
1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC ₂ H ₅) ₃)	101947-16-4	1	mg/kg	0.100	ND
bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-heptadecafluorodecyl) hydrogen phosphate (8:2 diPAP), its salts [^]	678-41-1	1	mg/kg	0.010	ND
2H,2H,3H,3H-Perfluoroundecanoic Acid (8:3 FTCA), its salts [^]	34598-33-9	1	mg/kg	0.010	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Unit 8, 1/F, & Unit 2 & Unit 3, 2/F, Building 7 / 1/F, & Unit 2, 4/F, Building 5 / Unit 2, 1/F, & 2/F, 15/F, Building 4 / Unit 2, 1/F, Building 5 / 4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层08室, 008室09室1层02室, 004幢4号01层02室, 004幢4号02-3室, 004幢4号01层, 004幢4号02层02室, 004幢4号02层03室, 5区 sgs.china@sgs.com

or GC-MS/MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	A1
PFHxS, its salts					
Perfluorohexanesulfonic acid (PFHxS), its salts [^]	355-46-4	0.025	mg/kg	0.010	ND
PFHxS-related compounds					
N-Methylperfluoro-1-hexanesulfonamide (N-Me-PFHxSA)	68259-15-4	1	mg/kg	0.010	ND
Perfluorohexane sulfonamide (PFHxSA)	41997-13-1	1	mg/kg	0.010	ND
N-[3-(dimethylamino)propyl] tridecafluorohexanesulphonamide (N-AP-FHxSA)	50598-28-2	1	mg/kg	0.010	ND
2-[methyl[(tridecafluorohexyl) sulphonyl]amino]ethyl acrylate)) (N-MeFHSEA)	67584-57-0	1	mg/kg	0.200	ND
2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	67584-61-6	1	mg/kg	0.200	ND
2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester	67906-70-1	1	mg/kg	0.200	ND
1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-(MeFHxSE)	68555-75-9	1	mg/kg	0.010	ND
Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] (EtFHxSAA), its salts [^]	68957-32-4	1	mg/kg	0.010	ND
Sum of PFHxS-related compounds	-	1	mg/kg	-	ND
Conclusion					Pass

Notes:

(1) Commission Delegated Regulation (EU) 2023/1608 of May 30, 2023, amending Regulation (EU) 2019/1021 Annex I as regard the listing of perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds, Official Journal of the EU, August 8, 2023.

Substance	Scope	Specific exemption on intermediate use or other specification
PFHxS and its salts	Substances, mixtures or articles	≤ 0.025 mg/kg
PFHxS-related compounds	Substances, mixtures or articles	≤ 1 mg/kg (individual or sum of all)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Unit 6, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 / 1/F, & Unit 2, 4/F, & 2/F to 5/F, Building 4 / Unit 2, 1/F, Building 5 / 4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层02室, 004幢01层02室, 004幢04层02-5室, 004幢05层01层, 004幢05层02室, 004幢05层03室, 5区 sgs.china@sgs.com

PFHxS, its salts and PFHxS-related compounds	Concentrated firefighting foam	≤ 0.1 mg/kg (to be reviewed within three years after entry into force of this amending regulation with a view to lower the limit)
--	--------------------------------	---

(2) The tested perfluorohexane sulfonic acid (PFHxS), its salts and PFHxS-related compounds refer to the "Listed under the POPs Regulation" of ECHA, please find more information via below weblink: <https://echa.europa.eu/list-of-substances-proposed-as-pops>

(3) ^=Substances refer to its salts/derivative listed in below table

Substance Name	CAS No.
PFHxS, its salts & derivatives	
Perfluorohexanesulfonic acid (PFHxS)	355-46-4
Perfluorohexanesulfonate Na-salt (PFHxS-Na)	82382-12-5
Perfluorohexanesulfonate K-salt (PFHxS-K)	3871-99-6
1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, lithium salt (1:1) (PFHxS-Li)	55120-77-9
Ammonium perfluorohexane-1-sulphonate (PFHxS-NH ₄)	68259-08-5
Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (PFHxS-BTPP)	1000597-52-3
N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate(PFHxS-N(C ₄ H ₉) ₄)	108427-54-9
N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate(PFHxS-N(C ₂ H ₅) ₄)	108427-55-0
1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1) (PFHxS-NC ₄ H ₉)	1187817-57-7
Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (Calculated in terms of PFHxS) (PFHxS-(NC ₁₀ H ₁₄) ₃ C ₅ H ₄)	1310480-24-0
Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (PFHxS-(NC ₈ H ₁₀) ₂ C ₁₃ H ₁₂)	1310480-27-3
Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (PFHxS-(NC ₈ H ₁₀) ₂ C ₁₇ H ₁₂)	1310480-28-4
Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1) (PFHxS-C ₄₂ H ₇₀ O ₃₅)	1329995-45-0
Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-)(1:1)(PFHxS-C ₄₈ H ₈₀ O ₄₀)	1329995-69-8
Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (TPS-PFHxS)	144116-10-9
Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-	1462414-59-0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Unit 8, 1/F, & Unit 2 & Unit 5, 2/F, Building 7 / 1/F, & Unit 2, 4/F, & 2/F to 5/F, Building 4 / Unit 2, 1/F, Building 3 / 4/F, Building 1, No. 1177 Lingyun Road, Meihu Subdistrict, H-Tech Zone, Ningbo, Zhejiang, China www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层08室, 008幢08层08室, 008幢04层04室, 008幢04层05室, 008幢04层06室, 008幢04层07室, 008幢04层08室, 008幢04层09室, 008幢04层10室, 008幢04层11室, 008幢04层12室, 008幢04层13室, 008幢04层14室, 008幢04层15室, 008幢04层16室, 008幢04层17室, 008幢04层18室, 008幢04层19室, 008幢04层20室, 008幢04层21室, 008幢04层22室, 008幢04层23室, 008幢04层24室, 008幢04层25室, 008幢04层26室, 008幢04层27室, 008幢04层28室, 008幢04层29室, 008幢04层30室, 008幢04层31室, 008幢04层32室, 008幢04层33室, 008幢04层34室, 008幢04层35室, 008幢04层36室, 008幢04层37室, 008幢04层38室, 008幢04层39室, 008幢04层40室, 008幢04层41室, 008幢04层42室, 008幢04层43室, 008幢04层44室, 008幢04层45室, 008幢04层46室, 008幢04层47室, 008幢04层48室, 008幢04层49室, 008幢04层50室, 008幢04层51室, 008幢04层52室, 008幢04层53室, 008幢04层54室, 008幢04层55室, 008幢04层56室, 008幢04层57室, 008幢04层58室, 008幢04层59室, 008幢04层60室, 008幢04层61室, 008幢04层62室, 008幢04层63室, 008幢04层64室, 008幢04层65室, 008幢04层66室, 008幢04层67室, 008幢04层68室, 008幢04层69室, 008幢04层70室, 008幢04层71室, 008幢04层72室, 008幢04层73室, 008幢04层74室, 008幢04层75室, 008幢04层76室, 008幢04层77室, 008幢04层78室, 008幢04层79室, 008幢04层80室, 008幢04层81室, 008幢04层82室, 008幢04层83室, 008幢04层84室, 008幢04层85室, 008幢04层86室, 008幢04层87室, 008幢04层88室, 008幢04层89室, 008幢04层90室, 008幢04层91室, 008幢04层92室, 008幢04层93室, 008幢04层94室, 008幢04层95室, 008幢04层96室, 008幢04层97室, 008幢04层98室, 008幢04层99室, 008幢04层100室, 008幢04层101室, 008幢04层102室, 008幢04层103室, 008幢04层104室, 008幢04层105室, 008幢04层106室, 008幢04层107室, 008幢04层108室, 008幢04层109室, 008幢04层110室, 008幢04层111室, 008幢04层112室, 008幢04层113室, 008幢04层114室, 008幢04层115室, 008幢04层116室, 008幢04层117室, 008幢04层118室, 008幢04层119室, 008幢04层120室, 008幢04层121室, 008幢04层122室, 008幢04层123室, 008幢04层124室, 008幢04层125室, 008幢04层126室, 008幢04层127室, 008幢04层128室, 008幢04层129室, 008幢04层130室, 008幢04层131室, 008幢04层132室, 008幢04层133室, 008幢04层134室, 008幢04层135室, 008幢04层136室, 008幢04层137室, 008幢04层138室, 008幢04层139室, 008幢04层140室, 008幢04层141室, 008幢04层142室, 008幢04层143室, 008幢04层144室, 008幢04层145室, 008幢04层146室, 008幢04层147室, 008幢04层148室, 008幢04层149室, 008幢04层150室, 008幢04层151室, 008幢04层152室, 008幢04层153室, 008幢04层154室, 008幢04层155室, 008幢04层156室, 008幢04层157室, 008幢04层158室, 008幢04层159室, 008幢04层160室, 008幢04层161室, 008幢04层162室, 008幢04层163室, 008幢04层164室, 008幢04层165室, 008幢04层166室, 008幢04层167室, 008幢04层168室, 008幢04层169室, 008幢04层170室, 008幢04层171室, 008幢04层172室, 008幢04层173室, 008幢04层174室, 008幢04层175室, 008幢04层176室, 008幢04层177室, 008幢04层178室, 008幢04层179室, 008幢04层180室, 008幢04层181室, 008幢04层182室, 008幢04层183室, 008幢04层184室, 008幢04层185室, 008幢04层186室, 008幢04层187室, 008幢04层188室, 008幢04层189室, 008幢04层190室, 008幢04层191室, 008幢04层192室, 008幢04层193室, 008幢04层194室, 008幢04层195室, 008幢04层196室, 008幢04层197室, 008幢04层198室, 008幢04层199室, 008幢04层200室, 008幢04层201室, 008幢04层202室, 008幢04层203室, 008幢04层204室, 008幢04层205室, 008幢04层206室, 008幢04层207室, 008幢04层208室, 008幢04层209室, 008幢04层210室, 008幢04层211室, 008幢04层212室, 008幢04层213室, 008幢04层214室, 008幢04层215室, 008幢04层216室, 008幢04层217室, 008幢04层218室, 008幢04层219室, 008幢04层220室, 008幢04层221室, 008幢04层222室, 008幢04层223室, 008幢04层224室, 008幢04层225室, 008幢04层226室, 008幢04层227室, 008幢04层228室, 008幢04层229室, 008幢04层230室, 008幢04层231室, 008幢04层232室, 008幢04层233室, 008幢04层234室, 008幢04层235室, 008幢04层236室, 008幢04层237室, 008幢04层238室, 008幢04层239室, 008幢04层240室, 008幢04层241室, 008幢04层242室, 008幢04层243室, 008幢04层244室, 008幢04层245室, 008幢04层246室, 008幢04层247室, 008幢04层248室, 008幢04层249室, 008幢04层250室, 008幢04层251室, 008幢04层252室, 008幢04层253室, 008幢04层254室, 008幢04层255室, 008幢04层256室, 008幢04层257室, 008幢04层258室, 008幢04层259室, 008幢04层260室, 008幢04层261室, 008幢04层262室, 008幢04层263室, 008幢04层264室, 008幢04层265室, 008幢04层266室, 008幢04层267室, 008幢04层268室, 008幢04层269室, 008幢04层270室, 008幢04层271室, 008幢04层272室, 008幢04层273室, 008幢04层274室, 008幢04层275室, 008幢04层276室, 008幢04层277室, 008幢04层278室, 008幢04层279室, 008幢04层280室, 008幢04层281室, 008幢04层282室, 008幢04层283室, 008幢04层284室, 008幢04层285室, 008幢04层286室, 008幢04层287室, 008幢04层288室, 008幢04层289室, 008幢04层290室, 008幢04层291室, 008幢04层292室, 008幢04层293室, 008幢04层294室, 008幢04层295室, 008幢04层296室, 008幢04层297室, 008幢04层298室, 008幢04层299室, 008幢04层300室, 008幢04层301室, 008幢04层302室, 008幢04层303室, 008幢04层304室, 008幢04层305室, 008幢04层306室, 008幢04层307室, 008幢04层308室, 008幢04层309室, 008幢04层310室, 008幢04层311室, 008幢04层312室, 008幢04层313室, 008幢04层314室, 008幢04层315室, 008幢04层316室, 008幢04层317室, 008幢04层318室, 008幢04层319室, 008幢04层320室, 008幢04层321室, 008幢04层322室, 008幢04层323室, 008幢04层324室, 008幢04层325室, 008幢04层326室, 008幢04层327室, 008幢04层328室, 008幢04层329室, 008幢04层330室, 008幢04层331室, 008幢04层332室, 008幢04层333室, 008幢04层334室, 008幢04层335室, 008幢04层336室, 008幢04层337室, 008幢04层338室, 008幢04层339室, 008幢04层340室, 008幢04层341室, 008幢04层342室, 008幢04层343室, 008幢04层344室, 008幢04层345室, 008幢04层346室, 008幢04层347室, 008幢04层348室, 008幢04层349室, 008幢04层350室, 008幢04层351室, 008幢04层352室, 008幢04层353室, 008幢04层354室, 008幢04层355室, 008幢04层356室, 008幢04层357室, 008幢04层358室, 008幢04层359室, 008幢04层360室, 008幢04层361室, 008幢04层362室, 008幢04层363室, 008幢04层364室, 008幢04层365室, 008幢04层366室, 008幢04层367室, 008幢04层368室, 008幢04层369室, 008幢04层370室, 008幢04层371室, 008幢04层372室, 008幢04层373室, 008幢04层374室, 008幢04层375室, 008幢04层376室, 008幢04层377室, 008幢04层378室, 008幢04层379室, 008幢04层380室, 008幢04层381室, 008幢04层382室, 008幢04层383室, 008幢04层384室, 008幢04层385室, 008幢04层386室, 008幢04层387室, 008幢04层388室, 008幢04层389室, 008幢04层390室, 008幢04层391室, 008幢04层392室, 008幢04层393室, 008幢04层394室, 008幢04层395室, 008幢04层396室, 008幢04层397室, 008幢04层398室, 008幢04层399室, 008幢04层400室, 008幢04层401室, 008幢04层402室, 008幢04层403室, 008幢04层404室, 008幢04层405室, 008幢04层406室, 008幢04层407室, 008幢04层408室, 008幢04层409室, 008幢04层410室, 008幢04层411室, 008幢04层412室, 008幢04层413室, 008幢04层414室, 008幢04层415室, 008幢04层416室, 008幢04层417室, 008幢04层418室, 008幢04层419室, 008幢04层420室, 008幢04层421室, 008幢04层422室, 008幢04层423室, 008幢04层424室, 008幢04层425室, 008幢04层426室, 008幢04层427室, 008幢04层428室, 008幢04层429室, 008幢04层430室, 008幢04层431室, 008幢04层432室, 008幢04层433室, 008幢04层434室, 008幢04层435室, 008幢04层436室, 008幢04层437室, 008幢04层438室, 008幢04层439室, 008幢04层440室, 008幢04层441室, 008幢04层442室, 008幢04层443室, 008幢04层444室, 008幢04层445室, 008幢04层446室, 008幢04层447室, 008幢04层448室, 008幢04层449室, 008幢04层450室, 008幢04层451室, 008幢04层452室, 008幢04层453室, 008幢04层454室, 008幢04层455室, 008幢04层456室, 008幢04层457室, 008幢04层458室, 008幢04层459室, 008幢04层460室, 008幢04层461室, 008幢04层462室, 008幢04层463室, 008幢04层464室, 008幢04层465室, 008幢04层466室, 008幢04层467室, 008幢04层468室, 008幢04层469室, 008幢04层470室, 008幢04层471室, 008幢04层472室, 008幢04层473室, 008幢04层474室, 008幢04层475室, 008幢04层476室, 008幢04层477室, 008幢04层478室, 008幢04层479室, 008幢04层480室, 008幢04层481室, 008幢04层482室, 008幢04层483室, 008幢04层484室, 008幢04层485室, 008幢04层486室, 008幢04层487室, 008幢04层488室, 008幢04层489室, 008幢04层490室, 008幢04层491室, 008幢04层492室, 008幢04层493室, 008幢04层494室, 008幢04层495室, 008幢04层496室, 008幢04层497室, 008幢04层498室, 008幢04层499室, 008幢04层500室, 008幢04层501室, 008幢04层502室, 008幢04层503室, 008幢04层504室, 008幢04层505室, 008幢04层506室, 008幢04层507室, 008幢04层508室, 008幢04层509室, 008幢04层510室, 008幢04层511室, 008幢04层512室, 008幢04层513室, 008幢04层514室, 008幢04层515室, 008幢04层516室, 008幢04层517室, 008幢04层518室, 008幢04层519室, 008幢04层520室, 008幢04层521室, 008幢04层522室, 008幢04层523室, 008幢04层524室, 008幢04层525室, 008幢04层526室, 008幢04层527室, 008幢04层528室, 008幢04层529室, 008幢04层530室, 008幢04层531室, 008幢04层532室, 008幢04层533室, 008幢04层534室, 008幢04层535室, 008幢04层536室, 008幢04层537室, 008幢04层538室, 008幢04层539室, 008幢04层540室, 008幢04层541室, 008幢04层542室, 008幢04层543室, 008幢04层544室, 008幢04层545室, 008幢04层546室, 008幢04层547室, 008幢04层548室, 008幢04层549室, 008幢04层550室, 008幢04层551室, 008幢04层552室, 008幢04层553室, 008幢04层554室, 008幢04层555室, 008幢04层556室, 008幢04层557室, 008幢04层558室, 008幢04层559室, 008幢04层560室, 008幢04层561室, 008幢04层562室, 008幢04层563室, 008幢04层564室, 008幢04层565室, 008幢04层566室, 008幢04层567室, 008幢04层568室, 008幢04层569室, 008幢04层570室, 008幢04层571室, 008幢04层572室, 008幢04层573室, 008幢04层574室, 008幢04层575室, 008幢04层576室, 008幢04层577室, 008幢04层578室, 008幢04层579室, 008幢04层580室, 008幢04层581室, 008幢04层582室, 008幢04层583室, 008幢04层584室, 008幢04层585室, 008幢04层586室, 008幢04层587室, 008幢04层588室, 008幢04层589室, 008幢04层590室, 008幢04层591室, 008幢04层592室, 008幢04层593室, 008幢04层594室, 008幢04层595室, 008幢04层596室, 008幢04层597室, 008幢04层598室, 008幢04层599室, 008幢04层600室, 008幢04层601室, 008幢04层602室, 008幢04层603室, 008幢04层604室, 008幢04层605室, 008幢04层606室, 008幢04层607室, 008幢04层608室, 008幢04层609室, 008幢04层610室, 008幢04层611室, 008幢04层612室, 008幢04层613室, 008幢04层614室, 008幢04层615室, 008幢04层616室, 008幢04层617室, 008幢04层618室, 008幢04层619室, 008幢04层620室, 008幢04层621室, 008幢04层622室, 008幢04层623室, 008幢04层624室, 008幢04层625室, 008幢04层626室, 008幢04层627室, 008幢04层628室, 008幢04层629室, 008幢04层630室, 008幢04层631室, 008幢04层632室, 008幢04层633室, 008幢04层634室, 008幢04层635室, 008幢04层636室, 008幢04层637室, 008幢04层638室, 008幢04层639室, 008幢04层640室, 008幢04层641室, 008幢04层642室, 008幢04层643室, 008幢04层644室, 008幢04层645室, 008幢04层646室, 008幢04层647室, 008幢04层648室, 008幢04层649室, 008幢04层650室, 008幢04层651室, 008幢04层652室, 008幢04层653室, 008幢04层654室, 008幢04层655室, 008幢04层656室, 008幢04层657室, 008幢04层658室, 008幢04层659室, 008幢04层660室, 008幢04层661室, 008幢04层662室, 008幢04层663室, 008幢04层664室, 008幢04层665室, 008幢04层666室, 008幢04层667室, 008幢04层668室, 008幢04层669室, 008幢04层670室, 008幢04层671室, 008幢04层672室, 008幢04层673室, 008幢04层674室, 008幢04层675室, 008幢04层676室, 008幢04层677室, 008幢04层678室, 008幢04层679室, 008幢04层680室, 008幢04层681室, 008幢04层682室, 008幢04层683室, 008幢04层684室, 008幢04层685室, 008幢04层686室, 008幢04层687室, 008幢04层688室, 008幢04层689室, 008幢04层690室, 008幢04层691室, 008幢04层692室, 008幢04层693室, 008幢04层694室, 008幢04层695室, 008幢04层696室, 008幢04层697室, 008幢04层698室, 008幢04层699室, 008幢04层700室, 008幢04层701室, 008幢04层702室, 008幢04层703室, 008幢04层704室, 008幢04层705室, 008幢04层706室, 008幢04层707室, 008幢04层708室, 008幢04层709室, 008幢04层710室, 008幢04层711室, 008幢04层712室, 008幢04层713室, 008幢04层714室, 008幢04层715室, 008幢04层716室, 008幢04层717室, 008幢04层718室, 008幢04层719室, 008幢04层720室, 008幢04层721室, 008幢04层722室, 008幢04层723室, 008幢04层724室, 008幢04层725室, 008幢04层726室, 008幢04层727室, 008幢04层728室, 008幢04层729室, 008幢04层730室, 008幢04层731室, 008幢04层732室, 008幢04层733室, 008幢04层734室, 008幢04层735室, 008幢04层736室, 008幢04层737室, 008幢04层738室, 008幢04层739室, 008幢04层740室, 008幢04层741室, 008幢04层742室, 008幢04层743室, 008幢04层744室, 008幢04层745室, 008幢04层746室, 008幢04层747室, 008幢04层748室, 008幢04层749室, 008幢04层750室, 008幢

salt (1:1) (PFHxS-Cs) (PFHxS-Cs)	
Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) (PFHxS-SC ₂₈ H ₃₁ O ₄)	928049-42-7
Perfluorohexylsulfonyl chloride (PFHxS-Cl)	55591-23-6
Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 ^{3,7}]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 ^{3,7}]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate (PFHxS-Sulfonium, propenoate polymer)	911027-69-5
Perfluorohexane sulfonate (anion)	108427-53-8
Tetrabutylphosphonium perfluorohexane sulfonate (PFHxS-P (C ₄ H ₉) ₄)	2310194-12-6
EtFHxSAA, its salts	
Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] (EtFHxSAA)	68957-32-4
Potassium N-ethyl-n-[(tridecafluorohexyl)sulfonyl]glycinate (EtFHxSAA-K)	67584-53-6
Sodium N-ethyl-N-((tridecafluorohexyl)sulphonyl)glycinate (EtFHxSAA-Na)	68555-70-4

(4) The conclusion is only applicable to the substance list in the report.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. The declaration of conformity is based on acceptance limits chosen based on simple acceptance (w = 0, AL = TL).

Statements of conformity are reported as:

Passed - The measured values were observed in tolerance at the points tested.

Failed - One or more measured values were observed out of tolerance at the points tested.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Deccheck@sgs.com

SGS-CSTC Technical Services (Ningbo) Co., Ltd. Unit 8, 1/F, & Unit 2 & Unit 3, 2/F, Building 7 / 1/F, & Unit 2, 4/F, & 2/F to 5/F, Building 4 / Unit 2, 1/F, Building 5 / 4/F, Building 1, No. 1177 Lingyuan Road, Meihu Subdistrict, Hi-Tech Zone, Ningbo, Zhejiang, China. www.sgs.com.cn
 中国·浙江·宁波市高新区梅墟街道凌云路1177号07幢1层08室, 00幢0号楼1层02室, 00幢4号楼1层02室, 00幢4号楼2-5层, 00幢5号楼1层, 00幢5号楼2层, 00幢5号楼3层, 00幢5号楼4层, 5区 sgs.china@sgs.com

